

INDIAN INSTITUTE OF TECHNOLOGY, BOMBAY
Sophisticated Analytical Instrument Facility (SAIF)

ANALYSIS REQUEST FORM AND SAFETY DATA SHEET – **TGDTA**
User Type: IITB/ EXTERNAL (**University**/National Lab/R & D /Industry)

Name of the User: Dr. PROTIBHA NATH BANERJEE Email: protibha.banerjee@pcu.edu.in Contact No: 7208362648 Name of Institute/Organization: Pimpri Chinchwad University Address of Institute/Organization: Sate, Maval, Pune-412106	Name of Guide/ PI: Dr. PROTIBHA NATH BANERJEE Email: protibha.banerjee@pc.edu.in Contact No.: 7208362648
---	--

1. Number of Samples: 02 (TWO)
2. Heating Program: (Add more rows if required OR attach a separate sheet)

S. No.	Sample Name	Temp. range (RT to°C)	Heating rate (Ramp) °C/min	Atmosphere (N ₂ , Ar, Air, O ₂)	Analysis reqd. TGA/ DTA/ Both
1.	PCUSB1	RT to 400 °C	10 °C/min	Air	Both TGA &DTA
2.	PCUSB2	RT to 600 °C	10 °C/min	Air	Both TGA &DTA
3	-	-	-	-	-
4.	-	-	-	-	-
5.	-	-	-	-	-

Samples containing alkali metal oxides, hydroxides, heavy metals, alkali metal halides, nitrates or large amounts of sulphur when heated in platinum crucible can erode the crucible.


3. Does the sample contain any Halogens/ Corrosive substance? **NO**
4. Hygroscopic or non-hygroscopic: **NON-HYGROSCOPIC**
5. Explosive or non-explosive at higher temp: **NON- EXPLOSIVE**
6. Does your sample contain any heavy metals like lead, bismuth, tin, arsenic, silver, mercury, copper, Selenium, tellurium, etc.? **NO**

Notes:

- At least 30-40 mg of sample should be submitted.
- Sample size should be < 5mm in diameter and <2.5 mm in thickness.
- Samples with corrosive substance that will react with Aluminium/Platinum/Ceramic pans at the should not be sent for analysis by TGDTA or DSC.
- Samples should not be toxic or hazardous.
- Radio-active material, unstable and explosive compounds are not accepted for analysis.
- Interpretation of spectra is NOT undertaken.

Additional Information

1. Moisture: Absent
2. Sample nature: Organic
3. Sample Properties: Carcinogenic :Non Carcinogenic/ Non flammable/
4. Stability of sample: Stable under RTP/
5. Toxicity: Non-Toxic
6. Potential Health Hazards: No
7. Precautions for Safe Handling and Use: NA
8. Symptoms on Exposure: No
9. First aid measures:
10. Disposal Method of sample: Normal
11. Label the sample/ sample container with hazard class
12. All Samples will be discarded within 7 days of analysis. If you wish to collect the samples then you are required to make arrangement for the same. SAIF office will not dispatch the same to users under any circumstances.
13. Please fill in appropriate numbers in the NFPA diamond if MSDS available: (#Kindly refer the image at the end of the file for reference):



Declaration

I confirm that the samples submitted for analysis are for research purposes only and that the above-furnished details are correct and true to the best of my knowledge. I understand that I will be held responsible for any damages arising from incorrect information provided by me against points 7-10.

I agree to acknowledge DST and SAIF, IIT Bombay for providing (Instrument name) analytical facility for my research work, in my publications. I also agree to send the publication reference (Journal name/volume number/names of the authors/date of issue of the publication etc) to office.saif@iitb.ac.in

I declare that the "Content of this report is meant for our information only and we will not use the content of this report for advertisement, evidence, litigation or quote as certificate to third party" I accept that all the issued reports/results (Soft/hard) will not carry any Signature or Seal and Stamp of SAIF/CRNTS IIT Bombay.

P.N. Banerjee

Signature of the User

P.N. Banerjee

Signature of the In Charge/HOD/PI with College
P.I. / Guide seal / stamp

Date:

19th June,
2025

Place:

Pune



#refer the image below for reference for filling up Point 17: