

INDIAN INSTITUTE OF TECHNOLOGY, BOMBAY
Sophisticated Analytical Instrument Facility (SAIF)

ANALYSIS REQUEST FORM AND SAFETY DATA SHEET – TGDTA
User Type: IITB/ EXTERNAL (University/National Lab/R & D /Industry)

Name of the User: AMARVEER PRATAP RANA Email: amarveeer_2421ch10@iitp.ac.in Contact No: 9521097005 Name of Institute/Organization: IIT PATNA Address of Institute/Organization: IIT Patna, Bihta - 801106 (Bihar)	Name of Guide/ PI: Dr. JAGADISH DAS Email: jdax@iitp.ac.in Contact No.: 94563-82693
---	--

1. Number of Samples: **4**
2. Heating Program: (Add more rows if required OR attach a separate sheet)

S. No.	Sample Name	Temp. range (RT to°C)	Heating rate (Ramp) °C/min	Atmosphere (N ₂ , Ar, Air, O ₂)	Analysis reqd. TGA/ DTA/ Both
1.	AR-1	RT to 800°C	10°C/min	N ₂	TGA
2.	AR-2	RT to 800°C	10°C/min	N ₂	TGA
3.	AR-3	RT to 800°C	10°C/min	N ₂	TGA
4.	AR-4	RT to 800°C	10°C/min	N ₂	TGA
5.					

Samples containing alkali metal oxides, hydroxides, heavy metals, alkali metal halides, nitrates or large amounts of sulphur when heated in platinum crucible can erode the crucible.


3. Does the sample contain any Halogens/ Corrosive substance? YES / ☒ NO
4. Hygroscopic or non-hygroscopic: **Non-hygroscopic**
5. Explosive or non-explosive at higher temp: **Non-explosive**
6. Does your sample contain any heavy metals like lead, bismuth, tin, arsenic, silver, mercury, copper, Selenium, tellurium, etc.? If yes, specify. **It Contains Copper,**

Notes:

- At least 30-40 mg of sample should be submitted.
- Sample size should be < 5mm in diameter and <2.5 mm in thickness.
- Samples with corrosive substance that will react with Aluminium/Platinum/Ceramic pans at the should not be sent for analysis by TGDTA or DSC.
- Samples should not be toxic or hazardous.
- Radio-active material, unstable and explosive compounds are not accepted for analysis.
- Interpretation of spectra is NOT undertaken.

Additional Information

1. Moisture: Present/Absent/NA ✓
2. Sample nature: Organic/Inorganic /Any other characteristic nature(Specify) ✓
3. Sample Properties: Carcinogenic (carcinogenicity level-----)/Non Carcinogenic/ ✓
Radioactive/Explosive/Toxic/Corrosive/Flammable/ Non flammable/ Other(specify) ✓
4. Stability of sample: Stable under RTP/hygroscopic/sublimes/ Reactive in air/moisture/ light/heat ✓
5. Toxicity: Non-Toxic / Mildly toxic/ Highly toxic. ✓
6. Potential Health Hazards: Yes/No (irritant to skin/irritant to eyes/harmful to skin/ toxic if ✓
inhaled/toxic if ingested)
7. Precautions for Safe Handling and Use:
8. Symptoms on Exposure: Difficulty in breathing/reddening of skin/burning sensation in
eyes/vomiting/giddiness/headache/unconsciousness/ ----- Others(specify)
9. First aid measures:
10. Disposal Method of sample
11. Label the sample/ sample container with hazard class
12. All Samples will be discarded within 7 days of analysis. If you wish to collect the samples then you
are required to make arrangement for the same. SAIF office will not dispatch the same to users
under any circumstances.
13. Please fill in appropriate numbers in the NFPA diamond if MSDS available: (#Kindly refer the image
at the end of the file for reference):



Declaration

I confirm that the samples submitted for analysis are for research purposes only and that the above-furnished details are correct and true to the best of my knowledge. I understand that I will be held responsible for any damages arising from incorrect information provided by me against points 7-10.

I agree to acknowledge DST and SAIF, IIT Bombay for providing (Instrument name) analytical facility for my research work, in my publications. I also agree to send the publication reference (Journal name/volume number/names of the authors/date of issue of the publication etc) to office.saif@iitb.ac.in

I declare that the "Content of this report is meant for our information only and we will not use the content of this report for advertisement, evidence, litigation or quote as certificate to third party" I accept that all the issued reports/results (Soft/hard) will not carry any Signature or Seal and Stamp of SAIF/CRNTS IIT Bombay.

AMARVEER PRATAP RANA

Signature of the User

Date: 17/10/25

Place: IIT PATNA

DEPT OF CHEMISTRY

Jagadish
17.10.25

Signature of the In Charge/HOD/PI with College
P.I. / Guide seal / stamp

Dr. Jagadish Das
Assistant Professor
Dept. of Chemistry
Indian Institute of Technology
Patna-801106

Health Hazard Blue Diamond

4-Deadly
3-Extreme Danger
2-Hazardous
1-Slightly Hazardous
0-Normal Material

Flammability Red Diamond


Flash Points
4-Below 73°F
3-Below 100°F
2-Above 100°F
not exceeding 200°F
1-Above 200°F
0-Will not burn

Specific Hazard White Diamond

ACID - Acid
ALK - Alkali
COR - Corrosive
OXY - Oxidizer
☒ - Radioactive
W - Use No Water

Reactivity Yellow Diamond

4-May Detonate
3-Shock & Heat
may detonate
2-Violent Chemical
change
1-Unstable if heated
0-Stable



#refer the image below for reference for filling up Point 17: